# HyFlex® 11-926

#### **MECHANICAL PROTECTION**



LIGITI	L	LIGHT
--------	---	-------

MODELO #	ESTRUTURA	GAUGE	MATERIAL DO FORRO	MATERIAL DE REVESTIME- NTO	MODELO/ PADRÃO DE REVESTIME- NTO	ESTILO DO PUNHO	COR	TAMANHO EN	COMPRI- MENTO (MM)	ACONDICI- ONAMENTO
11-926	Knitted	18	Spandex Nylon	Neoprene Nitrile	3/4 Dipped	Knitwrist	Purple	6, 7, 8, 9, 10, 11	210-260	12 pairs in a bag, 12 bags in a carton



# Ultimate performance for oily environments

INDÚSTRIAS PRIMÁRIAS







## APLICAÇÕES IDEAIS

- Stamping light and small metal parts
- Primary assembly of light components
- Maintenance operations
- Loading & downloading parts in metal working lines
- Assembly in machining operations

### **DESCRIÇÃO**

- HyFlex® 11-926 is the first light weight HyFlex® style to combine a ¾ dip geometry, oil repellence and oil grip in a single flexible glove.
- The 11-926 features a durable coating secure grip in oily environments. The liner is made with one of the finest gauge nylon fiber dipped in a ¾ design to ensure back of finger full protection.
- This unique blend of protection, performance and flexibility features bridges the gap from previous generation ¾ dip oil repellent general purpose gloves build on cut and sewn cotton liners to the latest seamless palm dip gloves; 11-926 is adding enhanced flexibility, set lility and oil goin to the provious generation desired desired the latest seamless. tactility and oil grip to the previous generation design whilst improving oil repellency, oil grip and wear life over the latest.

#### **OBSERVAÇÕES**

• Fit for special purpose

# TECNOLOGIA EM DESTAQUE

Ansell Grip

Ripel™







**CATEGORY II** 

Print date: 25-02-2016



Boulevard International 55, 1070 Brussels, Belgium Tel. +32 (0) 2 528 74 00 • Fax +32 (0) 2 528 74 01 • Fax Customer Service +32 (0) 2 528 74 03 http://www.ansell.eu • E-mail info@ansell.eu

